



CATALOGUE



# THE ART OF SURROUNDING YOURSELF... WITH POSITIVE VALUES

---

## INNOVATION

**Constantly reinventing**, so we can offer you the very best.

## AGILITY

**Adapting to the challenges of a changing world**, so we can keep being the perfect partner.

## RELIABILITY

Surrounding you properly, and **for a long time**.

## SERVICE

Making you our main concern, so we can **offer you a Premium service**.

## SUSTAINABILITY

Designing sustainable products, **to protect your future**.

# OUR COMPANY

## Elevating outdoor spaces with elegance

**Our vision:** become the go-to brand for professionals by offering tailored fencing solutions that meet local standards and elevate outdoor living.

## Who are we?


**Gardenode** is a company born from a recognized French leader in the outdoor design industry, specializing in the supply of high-quality fencing and screening slats to professionals.

As a key player in this field, we offer innovative, reliable, and unique products that set us apart in the market.

We are committed to continuous reinvention to meet the evolving needs of our customers and the ever-changing world.

At Gardenode, customer satisfaction is our priority, ensuring that we consistently deliver the best service in the industry. This is a cornerstone of our strength and reputation.

Trusted by thousands of homeowners across Europe, Gardenode brings trusted French quality to outdoor spaces.



# A Proven Track Record Across Europe and Beyond



**Clôtures et Portails de France** is a French family-owned group founded in the north of France, specializing in the manufacture, installation, and trade of outdoor products such as fencing, gates, and screening solutions. Since its founding, the group has built a strong reputation for quality and innovation.

In 2016, with the creation of Gardenode, the group expanded its international presence, marking a new chapter in its global activities.

30



**Years of  
experience**

350



**Employees**

13



**Companies**

120 000



**M² of storage**

2024



**1st US export**

Scan to discover  
our website!



# RANGES

---

## Solstice SCREENING

The Solstice range of screening embodies the natural harmony between light and shade – providing your outdoor spaces with both privacy and style. Inspired by nature, Solstice combines protection and elegance to create calming and secure surroundings. Whether modern or natural, this durable screening – made from eco-friendly materials – fits in with all types of surroundings, while guaranteeing a sleek design that fits subtly into your garden.

## Equinox FENCING

The Equinox range redefines the art of fencing. Stable and resolutely modern, these fences offer robust protection and are made from lasting and environmentally-friendly materials. Inspired by the harmony of the changing seasons, Equinox reflects the values of renewal and sophistication – elegantly integrating into all types of outdoor space.

# CONTENTS

---



Composite ..... p.8

Wood ..... p.16

Environmentally-friendly materials ..... p.20



Composite ..... p.30

Aluminium ..... p.38

Accessories ..... p.52


Driveway and  
garden gates ..... p.56

A thin orange line that starts from the left edge of the frame, curves upwards and to the right, and then continues as a horizontal line to the right.

# |||Solstice

SCREENING





PRODUCT SHOWN | **V24 PREMIUM KIT IN ANTHRACITE GREY**





# COMPOSITE SCREENING KIT

For durable and stylish screening, you can count on the longevity of composite.



# SCREENING KIT | V24 PREMIUM


## 55 MESH - VERTICAL POSITIONING - 2.5 M LENGTH

Anthracite grey

Quartz grey

Brown

Dimensions	Colours	Reference	Presentation
H 1.03m	Anthracite grey	816517	Pallet of 40 kits
	Quartz grey	816518	
	Brown	816519	
H 1.23m	Anthracite grey	816182	
	Quartz grey	816281	
	Brown	816285	
H 1.53m	Anthracite grey	816183	
	Quartz grey	816282	
	Brown	816286	
H 1.73m	Anthracite grey	816184	
	Quartz grey	816283	
	Brown	816287	
H 1.93m	Anthracite grey	816185	
	Quartz grey	816284	
	Brown	816288	



### V24 PREMIUM KIT | 55 MESH

- 43 x 49 mm intermediate slats
- 2 x 37 mm end slats
- 5 UPKOS® hook panels
- 1 aluminium top rail in 2 parts
- 4/6 aluminium triangles




UPKOS®  
HOOK PANEL







V24 PREMIUM KIT IN ANTHRACITE GREY



V24 PREMIUM KIT IN QUARTZ GREY



V24 PREMIUM KIT IN BROWN



INSTALLATION TUTORIAL




PRODUCT SHOWN | V24 PREMIUM KIT VERTICAL PATTERN IN ANTHRACITE GREY

# SCREENING KIT | B50 PREMIUM

## 50 MESH - VERTICAL PATTERN - 2.5 M LENGTH




Dimensions	Colours	Reference	Presentation
H 1.03m	Anthracite grey	816746	Pallet of 40 kits
	Brown	816752	
H 1.23m	Anthracite grey	816747	
	Brown	816753	
H 1.53m	Anthracite grey	816748	
	Brown	816754	
H 1.73m	Anthracite grey	816749	
	Brown	816755	
H 1.93m	Anthracite grey	816750	
	Brown	816756	



### B50 PREMIUM KIT | 50 MESH

- 48 x 44 mm intermediate slats
- 2 x 33 mm end slats
- 5 UPKOS® hook panels
- 1 aluminium top rail in 2 parts
- 4/6 aluminium trapeziums







B50 PREMIUM KIT IN ANTHRACITE GREY



B50 PREMIUM KIT IN BROWN



INSTALLATION TUTORIAL



PRODUCT SHOWN | B50 PREMIUM KIT VERTICAL POSITIONING IN ANTHRACITE GREY

# SCREENING KIT | **UNIVERSAL**

## 55 MESH - WEAVE PATTERN - 2.5 M LENGTH



Dimensions	Colours	Reference	Presentation
H 1.03m	Anthracite grey	816568	Pallet of 40 kits
	Quartz grey	816569	
	Brown	816570	
H 1.23m	Anthracite grey	816446	
	Quartz grey	816450	
	Brown	816454	
H 1.53m	Anthracite grey	816447	
	Quartz grey	816451	
	Brown	816455	
H 1.73m	Anthracite grey	816448	
	Quartz grey	816452	
	Brown	816456	
H 1.93m	Anthracite grey	816449	
	Quartz grey	816453	
	Brown	816457	



ALUMINIUM  
TOP RAIL



ALUMINIUM  
BOTTOM RAIL

### UNIVERSAL KIT | 55 MESH

- 43 x 49 mm intermediate slats
- 2 x 39 mm end slats
- 5 UPKOS® hook panels
- 1 aluminium top rail in 2 parts
- 1 aluminium bottom rail in 2 parts




ALUMINIUM BOTTOM RAIL




UPKOS® HOOK PANEL






M55 UNIVERSAL KIT IN ANTHRACITE GREY



M55 UNIVERSAL KIT IN QUARTZ GREY



M55 UNIVERSAL KIT IN BROWN



INSTALLATION TUTORIAL



PRODUCT SHOWN: M55 UNIVERSAL KIT WEAVE POSITIONING IN ANTHRACITE GREY



# WOODEN SCREENING KIT

Enhance and protect your exterior with the natural properties of FSC and PEFC-standard wood.





# SCREENING KIT | 8 MM WOOD

## 55 MESH - 2.50 M LENGTH

### CLASS III AUTOCLAVE FIR WOOD KIT

Dimension	Reference	Presentation
H 1.03m	816935	Pallet of 30 kits
H 1.23m	152355	
H 1.53m	152356	
H 1.73m	152357	
H 1.93m	152358	



### LARCH WOOD KIT

Dimension	Reference	Presentation
H 1.03m	816662	Pallet of 42 kits
H 1.23m	816663	
H 1.53m	816664	
H 1.73m	816665	
H 1.93m	816666	

- 8 MM WOOD KIT |55 MESH**
- 43 x 47 mm / 8mm depth intermediate slats
  - 2 x 39 mm / 8mm depth end slats
  - 4 or 6 horizontal braces



# SCREENING KIT | 21 MM WOOD

## 55 MESH - 2.50 M LENGTH

### WOOD KIT PINE

Dimension	Reference	Presentation
H 1.03m	817127	Pallet of 16 kits
H 1.23m	817128	
H 1.53m	817129	
H 1.73m	817130	
H 1.93m	817131	




### WOOD KIT 21MM |55 MESH

- 43 x 47 mm / 21mm depth intermediate slats
- 2 x 38 mm / 21mm depth end slats
- 4 or 6 horizontal braces

### LARCH WOOD KIT

Dimension	Reference	Presentation
H 1.03m	816759	In 2 packages Pallet of 18 kits
H 1.23m	816760	
H 1.53m	816761	In 2 packages Pallet of 16 kits
H 1.73m	816762	
H 1.93m	816763	

SCREW GUIDE



Product	Material	Reference	Presentation
FIXING SCREWS For 1 kit 21 mm WOOD	STAINLESS STEEL	816144	Box of 152 screws






# ENVIRONMENTALLY- FRIENDLY MATERIALS

---

Our ranges of fencing and screening are designed with materials that have been carefully selected for their environmental credentials.

Composite, which is made from recycled materials, is a sustainable alternative that will last for a remarkably long time, while giving resources a second life. Aluminium, known for its light weight and robustness, is also 100% recyclable – for a limited environmental impact. As for the wood, it's exclusively sourced from sustainably-managed forests which work to ensure the preservation of natural resources.

By choosing responsible materials, we can offer solutions that are both stylish and committed to building a more sustainable future.



## COMPOSITE

**90% recycled, 100% recyclable**

**Wood fibre**



**55%**

Recycled wood fibres from furniture factories or woodworking (chips)...

**PEHD**



**35%**


Polyethylene high-density from recycled milk and shampoo bottles



# Environmental features and benefits



Approximately 90% recycled wood fibre and recycled plastic materials.



High-performance sun and rain-resistant composite slat.



Designed to last.



Resistant to termite and insect attacks.



No additional treatment necessary.

# Infinitely recyclable




Aluminium is 100% recyclable, without loss of its physical and chemical properties.

# Environmental features and benefits



Infinitely recyclable  
without loss of quality.



Corrosion resistant.



Waste reduction.



Designed  
to last.



Low maintenance.

# From sustainably-managed forests

**Forest preservation:** The use of certified wood (like FSC or PEFC) helps ensure that forests are managed to maintain biodiversity, soils, and water resources.



**Carbon footprint reduction:** Sustainably-managed forests capture and store carbon, helping combat climate change.



From sustainably-managed  
forests.



FSC standard



PEFC standard

# Environmental features and benefits



Longevity  
and durability.



Infinitely recyclable  
and reusable.

## FIR

Autoclaved wood is a durable and weather-resistant material.

Although treated, autoclaved wood can still be recycled or used in biomass energy production at the end of its life, thus contributing to waste reduction and a more virtuous life cycle.

## PINE

Of all the resinous woods, pine is the most resistant to temperature variations. This gives it the advantage of durability and natural resistance to fungi, mould and insects.

## LARCH

Larch is a durable and natural rot-resistant wood. Resistant to weather and fungal and insect attacks. Doesn't require chemical treatment. Doesn't pollute the environment after its use.









# COMPOSITE FENCING

Opt for longevity and style with our composite fencing.  
Express your creativity through freedom of design with this modular range.







INTERMEDIATE SLATS | **COMPOSITE**




Product	Dimensions	Colours	Reference	Presentation
INTERMEDIATE SLAT BRUSHED EFFECT	L 1800 mm W 150 mm D 21 mm	Anthracite grey	152300	1 pallet of 196 slats (packs of 4 slats)
		Quartz grey	152302	
INTERMEDIATE SLAT WOOD EFFECT		Anthracite grey	152382	


BRACE To insert every 3 slats	L 1800 mm	Galvanised steel	152319	Set of 10
-------------------------------------	-----------	------------------	--------	-----------







BRUSHED EFFECT



WOOD EFFECT



COMPOSITE FENCING




INSTALLATION TUTORIAL



PRODUCT SHOWN | COMPOSITE FENCING INTERMEDIATE SLAT ANTHRACITE GREY

# INTERMEDIATE SLATS | CO-EXTRUDED COMPOSITE



Product	Dimensions	Colours	Reference	Presentation
INTERMEDIATE SLAT CO-EXTRUDED	L 1800 mm W 150 mm D 21 mm	Graphite	817025	1 pallet of 196 slats (packs of 4 slats)
		Teak	817026	




BRACE To insert every 3 slats	L 1800 mm	Galvanised steel	152319	Set of 10
-------------------------------------	-----------	------------------	--------	-----------







CO-EXTRUDED TEAK SLAT



CO-EXTRUDED GRAPHITE SLAT



CO-EXTRUDED COMPOSITE FENCING



INSTALLATION TUTORIAL





PRODUCT SHOWN | CO-EXTRUDED TEAK SLAT COMPOSITE FENCING AND BLACK POSTS


# OPENWORK SLATS | COMPOSITE



Product	Dimensions	Colours	Reference	Presentation
OPENWORK SLAT BRUSHED EFFECT	L 1800 mm W 150 mm D 21 mm	Anthracite grey	152316	1 pallet of 196 slats (packs of 4 slats)
		Quartz grey	152317	
BRACE To insert insert on every slat	L 1800 mm	Galvanised steel	152319	Set of 10
SPACERS	W 15 mm	RAL 7016 S	816043	22-Piece pack
		RAL 7039 S	816044	







OPENWORK COMPOSITE FENCING  
ANTHRACITE GREY




OPENWORK COMPOSITE FENCING  
QUARTZ GREY

SPACER



OPENWORK SLAT BRUSHED EFFECT  
QUARTZ GREY



PRODUCT SHOWN | OPENWORK SLAT COMPOSITE FENCING IN ANTHRACITE GREY



# ALUMINIUM FENCING

Enhance your exterior space with the elegance and robustness of aluminium.





PRODUCT SHOWN | ALUMINIUM FENCING WITH INTERMEDIATE SLATS AND VERDI DECORATIVE SLAT IN QUARTZ GREY

INTERMEDIATE SLATS | **ALUMINIUM**

RAL  
7016 S

RAL  
7039 S

RAL  
9005 S

Product	Dimensions	Colours*	Reference	Presentation
INTERMEDIATE SLAT	L 1800 mm W 150 mm D 21 mm	RAL 7016 S	152318	Pallet of 80 slats
		RAL 7039 S	152388	
		RAL 9005 S	816269	



\*Ask us about other colours.



ANTHRACITE GREY ALUMINIUM FENCING



QUARTZ GREY ALUMINIUM FENCING



BLACK ALUMINIUM FENCING



INSTALLATION TUTORIAL



PRODUCT SHOWN: ALUMINIUM FENCING WITH QUADRYL DECORATIVE SLAT IN QUARTZ GREY



# LOUVRE SLATS | ALUMINIUM

RAL  
7016 S

RAL  
7039 S

RAL  
9005 S

Product	Dimensions	Colours*	Reference	Presentation
LOUVRE SLAT	L 1800 mm W 160 mm D 21 mm	RAL 7016 S	816442	Pallet of 80 slats
		RAL 7039 S	816508	
		RAL 9005 S	816549	



\*Ask us about other colours.

SPACERS	-	Anthracite grey	816557	12-Piece pack
		Quartz grey	816558	
		Black	816559	
		Anthracite grey	816509	24-Piece pack
		Quartz grey	816510	
		Black	816550	






ALUMINIUM LOUVRE FENCING  
ANTHRACITE GREY



ALUMINIUM LOUVRE FENCING  
QUARTZ GREY



ALUMINIUM LOUVRE FENCING  
BLACK



PRODUCT SHOWN: ALUMINIUM FENCING LOUVRE SLAT IN QUARTZ GREY



# OPENWORK SLATS | **ALUMINIUM**




Product	Dimensions	Colours	Reference	Presentation
OPENWORK SLAT	L 1800 mm W <b>85 MM</b> D 21 mm	RAL 7016 S	817007	Pallet of 80 slats
	L 1800 mm W <b>135 mm</b> D 21 mm	RAL 7016 S	817010	



SPACERS	W 15 mm	RAL 7016 S	816043	22-Piece pack
---------	---------	------------	--------	---------------





ALUMINIUM OPENWORK FENCING  
ANTHRACITE GREY



ALUMINIUM OPENWORK FENCING  
ANTHRACITE GREY



PRODUCT SHOWN | ALUMINIUM FENCING OPENWORK ANTHRACITE GREY

# DECORATIVE SLATS | **ALUMINIUM**

RAL  
7016 S

RAL  
7039 S

RAL  
9005 S

Product	Dimensions	Colours*	Reference	Presentation	
DECORATIVE SLAT EPURE	L 1800 mm W 272 mm D 2 mm	RAL 7016 S	152345	Box of 5	
		RAL 7039 S	152346		
		RAL 9005 S	816253		
RAL 7016 S		152347			
RAL 7039 S		152348			
RAL 9005 S		816254			
RAL 7016 S		816255			
RAL 7039 S		816256			
RAL 9005 S		816257			
RAL 7016 S		816798			
RAL 7039 S		816799			
RAL 9005 S		816800			



\*Ask us about other colours.


# DECORATIVE SLATS | ALUMINIUM

RAL  
7016 S

RAL  
7039 S

RAL  
9005 S

Product	Dimensions	Colours*	Reference	Presentation
DECORATIVE SLAT KADRYL	L 1800 mm W 272 mm D 2 mm	RAL 7016 S	816795	Box of 5
		RAL 7039 S	816796	
		RAL 9005 S	816797	
DECORATIVE SLAT TROPIK		RAL 7016 S	816789	
		RAL 7039 S	816790	
		RAL 9005 S	816791	
DECORATIVE SLAT VERDI		RAL 7016 S	816783	
		RAL 7039 S	816784	
		RAL 9005 S	816785	
FRAMEWORK KIT HORIZONTAL 2 seals included	L 1800 mm	RAL 7016 S	816270	Box of 5
		RAL 7039 S	816271	
		RAL 9005 S	816272	
FRAMEWORK KIT VERTICAL 4 seals included		RAL 7016 S	817021	
		RAL 7039 S	817022	
		RAL 9005 S	817023	



\* Other colours available on request.




80 x 80mm POST | **ALUMINIUM**



Product	Dimensions	Colours*	Reference	Presentation
<b>ALUMINIUM POST</b> 80 x 80 mm Clip and cap included	H 1880 mm	RAL 7016 S	152320	Pallet of 30
		RAL 7039 S	152321	
		RAL 9005 S	816259	
	H 2300 mm	RAL 7016 S	816714	
		RAL 7039 S	816715	
		RAL 9005 S	816717	
	H 2600 mm	RAL 7016 S	152322	
		RAL 7039 S	152323	
		RAL 9005 S	816258	
	H 3200 mm	RAL 7016 S	816648	
		RAL 7039 S	816649	
		RAL 9005 S	816651	



SECTION



\*Ask us about other colours.



CAP



CLIP



CAP AND CLIP  
INCLUDED



ALUMINIUM FENCING WITH 80 x 80 mm post



PRODUCT SHOWN | ALUMINIUM FENCING, 80 x 80 mm post, INTERMEDIATE SLAT AND VERDI DECORATIVE SLAT IN ANTHRACITE GREY


70 x 50 mm post | **ALUMINIUM**



Product	Dimensions	Colours	Reference	Presentation
ALUMINIUM POST 70 x 50 mm Cap included	H 0980 mm	RAL 7016 S	817013	Pallet of 30
		RAL 7039 S	817167	
		RAL 9005 S	817173	
	H 1280 mm	RAL 7016 S	817015	
		RAL 7039 S	817169	
		RAL 9005 S	817175	
	H 1580 mm	RAL 7016 S	817017	
		RAL 7039 S	817171	
		RAL 9005 S	817177	
	H 2300 mm	RAL 7016 S	817020	
		RAL 7039 S	817172	
		RAL 9005 S	817178	



SECTION





PRODUCT SHOWN| ALUMINIUM FENCING AND 70 x 50 mm post IN ANTHRACITE GREY



ACCESSORIES | EQUINOX

RAL 7016 S



RAL 7039 S

RAL 9005 S

Product	Dimensions	Colours*	Reference	Presentation
ALUMINIUM TOP RAIL	1800 x 21 x 24 mm	RAL 7016 S	152332	Box of 10
		RAL 7039 S	152333	
		RAL 9005 S	816267	
ALUMINIUM BOTTOM RAIL	1800 x 21 x 33 mm	RAL 7016 S	152334	
		RAL 7039 S	152335	
		RAL 9005 S	816268	
INSTALLATION BLOCK	-	-	152336	Box of 20
ADJUSTING BLOCK	-	-	816027	



\*Ask us about other colours.



# ACCESSORIES | EQUINOX

RAL  
7016 S

RAL  
7039 S

RAL  
9005 S

Product	Dimensions	Colours*	Reference	Presentation
CLIP ALUMINIUM	L 980 mm	RAL 7016 S	816959	Set of 10
		RAL 7039 S	816984	
		RAL 9005 S	817000	
	L 1280 mm	RAL 7016 S	816961	
		RAL 7039 S	816986	
		RAL 9005 S	817002	
	L 1580 mm	RAL 7016 S	816963	
		RAL 7039 S	816988	
		RAL 9005 S	817004	
	L 1875 mm	RAL 7016 S	152328	
		RAL 7039 S	152329	
		RAL 9005 S	816266	
	L 2100 mm	RAL 7016 S	152330	
		RAL 7039 S	152331	
		RAL 9005 S	816265	




\*Ask us about other colours.

ACCESSORIES | EQUINOX



Product	Post	Dimensions	Colours*	Reference	Presentation
STEEL PLATE	POST 80 x 80 mm	130 x 130 mm	RAL 7016 S	152326	Box of 5
			RAL 7039 S	152327	
			RAL 9005 S	816263	
	POST 70 x 50 mm	120 x 100 mm	RAL 7016 S	817182	
			RAL 7039 S	817183	
			RAL 9005 S	817184	
ALUMINIUM CAP	POST 80 x 80 mm	80 x 80 mm	RAL 7016 S	152324	
			RAL 7039 S	152325	
			RAL 9005 S	816264	
	POST 70 x 50 mm	70 x 50 mm	RAL 7016 S	816958	
			RAL 7039 S	816983	
			RAL 9005 S	816999	
	½ ANGLE POST	-	RAL 7016 S	816439	
			RAL 7039 S	816440	
			RAL 9005 S	816441	



\*Ask us about other colours.




# ACCESSORIES | EQUINOX

RAL  
7016 S


RAL  
7039 S

RAL  
9005 S


Product	Post	Dimensions	Colours	Reference	Presentation
½ ANGLE POST ALUMINIUM FROM 45° to 135° Cap included	POST 80 x 80 mm	H 2100 mm	RAL 7016 S	816443	Box of 2
			RAL 7039 S	816444	
			RAL 9005 S	816445	
STRAIGHT CONCRETE PLATE	-	L 1810 mm W 200 mm D 35 mm	Concrete	152354	Pallet of 18
INSERT	POST 80 x 80 mm	20 x 50 x 1200 mm	Galvanised steel	816026	Box of 5
U PROFILE	-	L 2000 mm	RAL 7016 S	816078	Set of 5
			RAL 7039 S	816079	



ASSEMBLY



45° TO 135° ANGLE





# DRIVEWAY AND GARDEN GATES

Finish your exterior seamlessly with our range of aluminium or composite driveway and garden gates. A perfect fit with our fences, for a stylish and lasting solution.



PRODUCT SHOWN | ALUMINIUM FENCING AND GARDEN GATE IN QUARTZ GREY



# DRIVEWAY AND GARDEN GATES



Product	Gateway	Height	Colours	Filling included
GARDEN GATE (Without post)	L 1000 mm	H 1550 mm H 1700 mm H 1850 mm	RAL 7016 S	Composite or Aluminium
			RAL 7039 S	
			RAL 9005 S	

Product	Dimensions	Height	Colours
ALUMINIUM POST FOR GARDEN GATE	Section 100 x 100 mm D 5 mm	H 2300 mm H 2450 mm H 2600 mm	RAL 7016 S
			RAL 7039 S
			RAL 9005 S

Garden gates, driveway gates, sliding gates, and other dimensions are all available on request.



## GENERAL TERMS AND CONDITIONS OF SALE

### ARTICLE 1 – OBJECT

These general terms and conditions of sale govern the contractual relationship between GARDENODE SRL, Rue de la Royenne, 45 7700 Mouscron (Belgium).

BE 0662724190 RPM MONS (hereinafter “GARDENODE”) and the Customer, and the conditions applicable to any purchase of equipment (hereinafter referred to as the “Product”) from GARDENODE.

The Customer acknowledges it is a professional, defined as any natural or legal person acting for purposes relating to his trade, business, craft or profession and any person acting in the name of and on behalf of a professional.

The purchase of a Product implies full and unreserved acceptance by the Customer of these general conditions. These shall prevail over all other general or special conditions of the Customer. GARDENODE reserves the right to modify these general conditions at any time, it being specified that the conditions applicable to the Customer shall be those in force on the date the order is placed. Any special exceptions or conditions specified for the sale of a Product shall only bind GARDENODE for this sale.

### ARTICLE 2 – DESCRIPTION OF THE PRODUCT

The Products offered are presented in GARDENODE's catalogues and on the website [www.gardenode.com](http://www.gardenode.com). Any photographs accompanying the presentation of the products are as accurate as possible but cannot ensure complete similarity with the product offered and, in some cases, show presentation ideas in which all the items included in the photographs are not routinely offered for sale. The Customer is invited to consult a sales adviser to find out about the essential characteristics of the Product before making a purchase, if the information provided in the catalogue appears inadequate.

The Customer himself chooses the Product that meets his requirements, and for any specific question he should consult customer service.

### ARTICLE 3 – ORDER

The order is final when GARDENODE receives the purchase order, the signed quotation or on removal of the Product, if it is purchased in a store.

The order is personal to the Customer and may not be transferred or assigned without the written agreement of GARDENODE.

The Customer must ensure the accuracy of the information provided, for which he alone is responsible. The Customer must retain the invoice number which will be assigned by GARDENODE and will be requested, in particular, for any future claims.

Finally, it is specified that GARDENODE reserves the right to refuse an order that is in any way abnormal, particularly in view of the quantities ordered. Refusal of an order shall not give rise to the award of damages or to any type of compensation. Once the order has been placed with and confirmed by GARDENODE, it may not be changed or cancelled by the Customer, without the express consent of GARDENODE.

### ARTICLE 4 – UNAVAILABILITY OF THE PRODUCT

If the ordered Product is unavailable, GARDENODE will inform the Customer in writing. GARDENODE will then inform the Customer of the new delivery date if this is more than 21 days from the date of the order. In the event of such unavailability, the Customer has the option of maintaining or cancelling his order, within 72 hours from receipt of the notification. If no response is received within the aforementioned period, the order shall be deemed to be maintained. If the order is cancelled, the price will be refunded to the Customer within 14 days.

### ARTICLE 5 – PRICE

Prices are given to any person who requests them.

GARDENODE reserves the right to change its prices at any time, on the understanding that only the prices shown in store on the date on which the order is placed shall be applicable to the Customer.

The prices proposed in an individual quotation are guaranteed for the validity period of the quotation.

The prices shown are exclusive of tax and delivery costs, unless stated otherwise. The delivery costs applied are those indicated by GARDENODE at the time of the order.

The order may be paid for by the following means:

- bank card: GARDENODE accepts payment by bank card up to a limit set by the Customer's bank;

- cash: cash payment is limited to 1,000 euros in accordance with articles L.112-6 and D.112-3 of the Monetary and Financial Code;

- cheque payable to “GARDENODE”: GARDENODE requests customers paying by cheque to prove their identity by means of a valid official identity document;

- bank transfer: stating the order reference in the wording of the transfer and sending it to GARDENODE's bank account stated on the purchase order, quotation or invoice.

GARDENODE reserves the right to refuse any payment that points to a risk of fraud or non-payment.

GARDENODE will address an invoice showing the VAT to the Customer.

Finally, it is agreed that the price quotation and the accompanying documents shall remain the property of GARDENODE, in all circumstances. They may not be used or communicated to a third party without GARDENODE's written authorisation and must be returned to GARDENODE immediately if GARDENODE's offer is not accepted.

### ARTICLE 6 – LATE PAYMENT

The total sale price, including delivery costs, is due at the time of ordering, unless otherwise agreed by the Parties. It is agreed that any partial payment will count as an advance payment.

Non-payment of a single invoice on the due date shall make all sums owed by the Customer payable immediately, without exception.

If the Customer fails to make payment on the agreed payment dates, the Customer shall be legally obliged:

- to pay a late penalty equal to three times the statutory interest rate valid on the date of delivery of the Products, calculated on the amount outstanding, excluding taxes, accruing from the expiration date of the price;

- to pay a fixed compensation for recovery of 40 euros and an additional compensation, upon appropriate justification, if the recovery costs incurred exceed this fixed amount.

GARDENODE is free to make the granting of payment terms conditional on guarantees of the Customer's creditworthiness, even during the course of execution of an order.

If there are doubts regarding the Customer's solvency or if the Customer does not provide the requested guarantees of creditworthiness, GARDENODE may require payment prior to any delivery or suspend delivery of the Products.

If a Customer makes a complaint about an invoice issued, the Customer must address his complaint to the following email/postal address: [contact@gardenode.com](mailto:contact@gardenode.com), within 8 days following receipt of the invoice.

### ARTICLE 7 – DELIVERY

The Customer can choose to collect the Product at GARDENODE's warehouse or to have it delivered.

**7.1 Collection of the Product at the warehouse**

The Customer has a period of 30 calendar days to collect his Product at GARDENODE's warehouse. This period shall run from receipt, by any means (post, email, sms) of the notification that the Product is available.

Upon expiry of this period, a new notification will be sent to the Customer to remind him that his order is available. The Customer then has a new period of 30 calendar days to collect his order in store. Upon expiry of this period, the order will be considered to have been cancelled by the Customer.

**7.2 Delivery of the Product**

Deliveries can only be made in the geographical areas covered by the store where the order was placed. These areas and the delivery rates can be found in store.

Deliveries are made to the address indicated by the Customer on the order form when placing the order. If the Customer's address changes, the Customer must inform GARDENODE promptly, before placing a new order.

The maximum delivery time for a Product from the date of the order is indicated to the Customer prior to his order. In the case of a bulk purchase of a number of products from GARDENODE, the delivery time applicable to the whole order corresponds to the longest delivery time stated for one of these Products.

All deliveries are made by appointment, agreed between the carrier and the Customer. An appointment scheduling request is made to the Customer, on the telephone number or to the address specified at the time of the order. If the Customer or a third party designated by him is absent at the nominated delivery time, GARDENODE reserves the right to re-invoice the Customer for any new delivery.

If the Products are delivered free of shipping costs (known as “carriage free”), any error or inaccuracy by the Customer in specifying the delivery address shall make him liable for the costs of the new delivery or the change of delivery address.

Delivery will be made to the ground floor of the Customer's property, from an accessible road no less than 4 metres wide. The carrier may refuse delivery if these conditions are not met. The unloading time is 30 min, any waiting time beyond this will be invoiced to the Customer.



On receipt of the Products, the Customer must check the condition and quantities of the delivered order and check the contents of the package in the carrier's presence before signing the delivery note. In the event of damaged or missing items, the Customer must note specific reservations on the delivery note and refuse delivery of the package. The Customer will inform the Seller of this by email to the following address:

contact@gardenode.com stating the order number, within three working days following the delivery. In addition, GARDENODE reserves the right to assign the carrier of its choice, if the delivery is not carried out by GARDENODE.

## **ARTICLE 8 - WARRANTY AND LIABILITY**

### **8.1 Legal warranty**

The Customer benefits from a legal warranty against hidden defects provided for in articles 1641 et seq. of the Civil Code for all Products supplied by GARDENODE. The Customer has a period of two years from discovery of the defect to assert the warranty against hidden defects. To benefit from the warranty against hidden defects, the Customer must provide proof that the defect was not apparent, existed at the time of purchase and makes the product unsuitable for the use for which it was intended or substantially impairs this use. If such proof is provided, the Customer can choose between cancellation of the sale or reduction of the sale price. However, GARDENODE shall not be liable for the costs of replacing or refunding any goods other than the product presenting a hidden defect, regardless of the cause of damage to these goods, and/or the labour costs relating to disassembly and replacement of the product presenting a hidden defect.

The Customer is also advised that the warranty against hidden defects applies irrespective of any commercial warranty provided by the product manufacturer.

### **8.2 Product returns process**

The Customer must retain the packaging, the accessories provided with the Product as well as any labels affixed to the product or its packaging, which are required to benefit from the warranties.

If the Product is defective or non-compliant, the Customer must send an email to the address contact@gardenode.com or write to the address GARDENODE SRL, Rue de la Royenne, 45 - 7700 Mouscron (Belgium), stating the problems encountered with the Product(s) concerned, as well as the order references. The Customer will then receive a return number.

GARDENODE will ask the Customer to return his Product. Shipping costs are payable by the Customer. The Customer is responsible for ensuring that the product is properly packaged to avoid damage or breakage during return transit.

If the returned Product is not defective, the return will be considered as invalid and rejected. Transport, handling and testing costs will be payable by the Customer. Likewise, all products returned without a return number will be treated as a non-compliant return.

If no warranties apply to the Product, GARDENODE may provide the Customer with a quotation for repairing the Product.

It should be noted that the present warranties cover the Products sold by GARDENODE and that performances relating to installation and dismantling of the Products are not included in

the implementation of a warranty. The Products concerned are intended for external installation, and weather conditions can have an impact on the evolution of the product over time, irrespective of the purpose of the product.

### **8.3 Commercial warranty**

Some products offered for sale by GARDENODE may be covered by a contractual warranty from their manufacturer. Commercial warranties are optional and do not replace the legal warranty. In cases where the ordered Product is guaranteed by the manufacturer, the warranty may be mentioned in the leaflet, on the packaging of the Product or in a written contract.

## **ARTICLE 9 - LIMITATION OF LIABILITY**

GARDENODE may be exempted from all or part of its liability if it is able to show proof that the non-fulfilment or poor fulfilment of the contract is attributable either to the Customer, or to the unpredictable and insurmountable act of a third party to the contract, or to a case of force majeure, as defined in Article 1218 of the Civil Code.

The Customer is also responsible for ensuring that he has the right to install a fence, and that this installation does not infringe the rights of third parties.

GARDENODE may not, in particular, be held liable in the case of incorrect or improper use of the Products, or in the case of use that is not compliant with the instructions for installation or open air storage or in the case of any abnormal use of the Products.

If GARDENODE's liability was accepted following non-fulfilment or poor fulfilment of these general conditions of sale, the total amount of compensation cannot, by express agreement, exceed an amount equal to the price of the Product which resulted in the damage. The Customer is deemed to have purchased the Products at his own risk. GARDENODE is only liable for damaging consequences that may arise from product defects, in particular material, immaterial, commercial, operational or any other kind. Furthermore, GARDENODE shall not be held liable for any indirect damage suffered by the Customer.

## **ARTICLE 10 - CLAUSE OF RETENTION OF TITLE**

GARDENODE reserves ownership of the Product until full payment of the price by the Customer.

The Customer shall accordingly, in the event of payment after delivery, insure the said Products on GARDENODE's behalf against risks of loss and deterioration, due to fortuitous events, under an appropriate insurance policy. In the event of partial or complete non-payment by the due date, GARDENODE may take back the said Products, without prior notification. GARDENODE will retain all sums already paid by the Customer by way of damages. The Customer will clearly identify these Products as being GARDENODE's property and will take out the necessary insurance policies to cover any damages or compensation. As the Products remain GARDENODE's property until full payment of the price, the Customer is prohibited from reselling or transforming them.

## **ARTICLE 11 - INTELLECTUAL PROPERTY**

The Products and the promotional materials circulated by GARDENODE are protected as intellectual property. The Customer

is therefore strictly forbidden from any full or partial reproduction, representation or distribution of any element protected by GARDENODE's intellectual property rights. Furthermore, GARDENODE also owns the "Gardenode" trademark which is registered with the INPI. Consequently, the Customer is advised that any reproduction and/or imitation of this trademark, without GARDENODE's express prior authorisation, constitutes an act of infringement for which the Customer is liable.

## **ARTICLE 12 - PERSONAL DATA**

Personal data relating to the Customer, collected during the purchase of a Product, are subject to automated processing by GARDENODE. GARDENODE's privacy policy is intended to inform the Customer of its practices concerning consent, collection, use, storage, security measures, retention period(s), recipient(s) and sharing of the personal data which the Customer is asked to provide. GARDENODE's privacy policy is available on the website www.gardenode.com. The Customer can ask a member of staff in store to produce a paper copy of this policy if desired.

## **ARTICLE 13 - COMPLAINTS**

All requests for information and any complaints against GARDENODE must be sent by email to the following address: contact@gardenode.com or by calling the following number:

+33 974 903 903

## **ARTICLE 14 - APPLICABLE LAW AND JURISDICTION**

The Parties acknowledge that these general terms and conditions of sale are subject to French law, regardless of the location of their registered office or establishment.

In the event of a dispute between the Parties arising from the execution or interpretation of these terms and conditions, the Parties agree prior to any court action that any complaint will be the object of a prior formal notice by post, in the form of registered mail with acknowledgement of receipt.

The Parties shall endeavour to seek an amicable solution to the dispute. If the Parties have not reached an amicable resolution to the dispute (10) days after sending the mail referred to in the previous paragraph, any Party may institute appropriate proceedings.

The Parties agree to submit any dispute to the exclusive jurisdiction of the Commercial Court of Lille Métropole in France.



[www.gardenode.com](http://www.gardenode.com)



FR +33 974 903 903 • [contact@gardenode.com](mailto:contact@gardenode.com)